


SAFETY DATA SHEET

This SDS adheres to the standards and regulatory requirements of the United States and may not meet the regulatory requirements in other countries.

1. Identification

Product identifier	Sodium Chlorate Solution 20-50%
Other means of identification	Sodium Chlorate Aqueous Solution; Chlorate of Soda; ERCOCIDE S; ERCOCIDE SP; R8 Solution; R2 Solution, NaClO ₃
Chemical Family	Inorganic compound
Recommended use	Oxidizing agent, pulp bleaching, defoliant and herbicide.
Recommended restrictions	None known
Manufacturer/Importer/Supplier/Distributor information	
Manufacturer	
Company name	ERCO Worldwide
Address	335 Carlingview Drive Unit 1 Etobicoke, M9W 5G8 Canada
Telephone	(416) 239-7111 (M- F: 8:00 am – 5:00pm EST)
Website	http://www.ercoworldwide.com
E-mail	productinfo@ercoworldwide.com
Emergency phone number	Canada & USA: 1-800-424-9300 (CHEMTREC)
Supplier	Refer to Manufacturer

2. Hazard(s) Identification

Physical hazards	Oxidizing liquids	Category 2
Health hazards	Acute toxicity, oral	Category 4
Environmental hazards	Not currently regulated by OSHA, refer to Section 12 for additional information.	
OSHA defined hazards	This mixture does not meet the classification criteria according to OSHA HazCom 2012.	
Label elements		
Signal word	Danger	
Hazard statement	May intensify fire; oxidizer Harmful if swallowed	

Precautionary statement**Prevention**

Keep away from heat. Keep away from clothing and other combustible materials. Take any precaution to avoid mixing with combustibles. Wear protective gloves, eye protection, face protection. Wash hands and face thoroughly after handling. Do not eat, drink or smoke when using this product.

Response

Immediately call a POISON CENTER or doctor/physician.

IF SWALLOWED: Rinse mouth.

In case of fire Use water to extinguish.

Storage

Does not apply.

Disposal

Dispose of contents and container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise classified (HNOC)

No OSHA defined hazard classes.

Other hazards which do not result in classification:

May cause mild skin and eye irritation.

Supplemental information

Not applicable.

3. Composition/Information on Ingredients

Chemical name	Common name and synonyms	CAS number	Conc. % By Weight
Sodium Chlorate	Chlorate of Soda; ERCOCIDE C	7775-09-9	20-50 w/w%
Dihydrogen oxide	Water	7732-18-5	Balance

Chemical name of impurities, stabilizing solvents and/or additives: None

4. First-Aid Measures**Inhalation**

Remove person to fresh air and keep comfortable for breathing. If not breathing, give artificial respiration. If breathing is difficult, trained personnel should give oxygen. Call a POISON CENTER or doctor/physician if you feel unwell.

Skin Contact

Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. Call a POISON CENTER or doctor/physician if you feel unwell.

Eye Contact	Immediately flush eyes with plenty of water for at least 20 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Ingestion	Rinse mouth. Do not induce vomiting. Never give anything by mouth to a victim who is unconscious or is having convulsions. If the patient is conscious, give one or two glasses of water to dilute stomach contents. Call a POISON CENTER or doctor/physician if you feel unwell.
Most important symptoms/effects, acute and delayed	May cause mild eye irritation. Symptoms may include redness and itching. May cause irritation to the nose, throat and upper respiratory tract. Symptoms may include coughing, choking and wheezing. May be harmful or fatal if swallowed. Symptoms may include cyanosis (bluish discoloration of the skin), nervous system damage, lung inflammation and pulmonary edema (fluid accumulation). Symptoms may include pain, headache, nausea, vomiting, dizziness, drowsiness and other central nervous system effects. Prolonged or repeated exposure may cause blood system effects. Prolonged or repeated overexposure may cause kidney effects.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically.
General information	In the case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-Fighting Measures

Suitable extinguishing media	Water spray, fog (flooding amounts).
Unsuitable extinguishing media	DO NOT use dry chemical fire extinguishing agents containing ammonium compounds (such as some A:B:C agents), since an explosive compound can be formed. DO NOT use carbon dioxide, dry chemical powder or other extinguishing agents that smother flames, since they are not effective in extinguishing fires involving oxidizers.
Specific hazards arising from the chemical	Strong oxidizer - contact with other material may cause fire. May cause fire or explosion; strong oxidizer.
Special protective equipment and precautions for firefighters	Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Avoid use of leather products.

Firefighting equipment/instructions	In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion. In the event of fire, cool tanks with water spray. Move containers from fire area if you can do so without risk. Containers should be cooled with water to prevent vapor pressure build up. Do not allow run-off from firefighting to enter drains or water courses. Dike for water control.
Specific methods	Cool containers exposed to flames with water until well after the fire is out.
General fire hazards	May intensify fire; oxidizer.
Hazardous combustion products	Pure sodium chlorate decomposes explosively under intense fire conditions. It initially decomposes to sodium perchlorate and begins to liberate oxygen at about 265°C. Besides oxygen, other compounds formed in a fire include chlorine, hydrogen chloride and sodium oxide.

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures	Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Immediately evacuate personnel to safe areas. Ensure clean-up is conducted by trained personnel only. Wear appropriate protective equipment and clothing during clean-up. Ventilate the contaminated area. Do not breathe mist or vapor. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Ventilate the contaminated area. Wear appropriate protective equipment and clothing during clean-up. Keep combustibles (wood, paper, oil, etc.) away from spilled material. Stop leak if you can do it without risk. Dike far ahead of spill for later disposal. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid release to the environment. Avoid discharge into drains, water courses or onto the ground.

7. Handling and Storage

Precautions for safe handling	Do not handle or store near an open flame, heat or other sources of ignition. No smoking in the area. Avoid contamination with organic materials. Avoid breathing mist or vapor. Avoid contact with eyes, skin and clothing. Keep away from acids and other incompatibles. Keep containers closed when not in use. Label containers appropriately. Wash hands after handling and before eating. Wear protective gloves and eye/face protection.
--------------------------------------	---

Conditions for safe storage, including any incompatibilities

Storage area should be clearly identified, clear of obstruction and accessible only to trained and authorized personnel. Storage areas should not be constructed of wood or other organic materials. Do not store wood or other organic materials in areas that could come in contact with this material. Keep away from combustible or readily oxidizable materials and acids.

Store in a closed container away from incompatible materials (see section 10 of the SDS). Keep quantity stored as small as possible. Post "NO SMOKING" signs in area. Stored containers should be periodically checked for general condition and leakage. Protect against physical damage. Keep empty containers in separate storage area. Empty containers may contain hazardous residues. Keep closed. Have appropriate fire extinguishers and spill clean-up equipment in storage area.

8. Exposure Controls/Personal Protection**Occupational exposure limits**

No exposure limits noted for ingredient(s).

Biological limit values

No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. In case of insufficient ventilation, wear suitable respiratory equipment. Do not use combustible material of construction where sodium chlorate will be used or stored.

Individual protection measures, such as personal protective equipment**Eye/face protection**

Wear safety glasses with side shields (or goggles). Eye wash fountain and emergency showers are recommended.

Skin protection**Hand protection**

Avoid skin contact. Use nitrile, PVC or neoprene gloves. Do not use gloves made of leather, cotton or other organic absorbing materials. If gloves become contaminated they will become a significant fire hazard.

Other

Wear suitable protective clothing. Wear flame resistant (FR) clothing. Change clothing at the end of each work shift or when it may be contaminated. Keep contaminated clothing wet between taking it off and washing it. For exposures with a high potential of contact, wear PVC or rubber rain suit, hard hat, rubber or plastic gloves, rubber boots, and safety glasses or goggles. Do not wear leather boots or gloves.

Respiratory protection

In case of insufficient ventilation, wear suitable respiratory equipment. Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume/mists at levels exceeding the exposure limits. Seek advice from respiratory protection specialists.

General hygiene considerations

When using, do not eat, drink or smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and Chemical Properties

Appearance	Clear to pale yellow mobile liquid
Physical state	Liquid
Form	Liquid
Colour	Clear to light yellow
Odor	None
Odor threshold	Not available
pH	7-9
Melting point/ Freezing point	17.6 °F (-8 °C) (20% solution) -0.4 °F (-18 °C) (40% solution)
Initial boiling point and boiling range	215.6 - 226.4 °F (102 - 108 °C)
Flash point	Not applicable
Evaporation rate	Not available
Flammability (solid, gas)	Not applicable
Upper/lower flammability or explosive limits	
Flammability limit – lower (%)	Not applicable
Flammability limit – upper (%)	Not applicable
Explosive limit – lower (%)	Not available
Explosive limit – upper (%)	Not available
Vapor pressure	Not available
Vapor density	Not available
Relative density	Not available
Solubility (ies)	
Solubility (water)	Soluble
Partition coefficient (n-octanol/water)	Not available
Auto-ignition temperature	Not applicable
Decomposition temperature	> 500 °F (> 265 °C)
Viscosity	Not available
Other information	
Density	1.15 - 1.45 g/cm ³
Explosive properties	Oxidizer, may have explosive properties
Molecular formula	Cl-Na-O ₃
Molecular weight	106.45 g/mol
Oxidizing properties	Strong oxidizer - contact with other material may cause fire
Percent volatile	Not available
Specific gravity	1.15 – 1.45

10. Stability and Reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport. Can form shock-, heat- or friction-sensitive mixtures with finely divided metals, metal salts, ammonium salts, non-metals, strong reducing agents and sulfides. Low pH (acidic) solutions can decompose to form corrosive and dangerously reactive chlorine dioxide. Decomposes above 265°C releasing oxygen.
Chemical stability	Stable at normal temperatures and pressure. At low pH, solutions decompose forming corrosive and dangerously reactive chlorine dioxide. In intense fire situations there have been several cases of violent explosions attributed to sodium chlorate by itself.
Possibility of hazardous reactions	Hazardous polymerization does not occur
Conditions to Avoid	Heat, sparks, friction, shock, impact, open flames, contact with combustible materials and acidic pH.
Incompatible materials	Combustible material. Organic compounds. Organic lubricants. Strong acids. Ammonium salts. Reducing agents. Powdered metals.
Hazardous decomposition products	Pure sodium chlorate decomposes explosively under intense fire conditions. It initially decomposes to sodium perchlorate and begins to liberate oxygen at about 265°C. Besides oxygen, other compounds formed in a fire include chlorine, hydrogen chloride and sodium oxide.

11. Toxicological Information

Information on likely routes of exposure

Inhalation	May cause irritation to the respiratory system.
Skin contact	Causes mild skin irritation.
Eye contact	May cause mild eye irritation.
Ingestion	Harmful if swallowed.

Delayed and immediate effects and chronic effects from short-term and long-term exposure

Effects of short-term (acute) exposure	Symptoms may include cyanosis (bluish discoloration of the skin), nervous system damage, lung inflammation and pulmonary edema (fluid accumulation). Symptoms may include pain, headache, nausea, vomiting, dizziness, drowsiness and other central nervous system effects. May cause mild eye irritation. Symptoms may include redness and itching. May cause mild skin irritation. Symptoms may include redness and itching. May cause irritation to the nose, throat and upper respiratory tract. Symptoms may include coughing, choking and wheezing.
---	---

Effects of long-term (chronic) exposure Prolonged or repeated exposure may cause blood system effects. Prolonged or repeated overexposure may cause kidney effects.

Information on toxicological effects

Acute toxicity See data for individual ingredient acute toxicity data.

Product	Species	Test Results
Sodium Chlorate Solution 20%-50%		
Acute		
<i>Other</i>		
LD ₅₀	Rat	2400 mg/kg (Calculated ATE)
Components	Species	Test Results
Sodium Chlorate (CAS 7775-09-9)		
<i>Dermal</i>		No information available
<i>Inhalation</i>		
LC ₅₀	Rat	> 7 mg/l (4 hour)
<i>Oral</i>		
LD ₅₀	Rat	1200 mg/kg
LD ₅₀	Mouse	8350 mg/kg
	Rabbit	7200 mg/kg

Skin corrosion/irritation Direct contact with concentrated solutions can cause mild irritation.

Serious eye damage/eye irritation May cause mild eye irritation. Symptoms may include redness and itching.

Respiratory or skin sensitization

Respiratory sensitization Not expected to be a respiratory sensitizer.

Skin sensitizer Not expected to be a skin sensitizer.

Germ cell mutagenicity Not expected to be mutagenic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050) Not listed.

Reproductive toxicity Not classifiable as a reproductive toxin.

Specific target organ toxicity - single exposure Hazardous by OSHA criteria. Specific Target Organ Toxicity (STOT), Single Exposure Category 3
May cause respiratory irritation.

Specific target organ toxicity - repeated exposure Not classified as a specific target organ toxicity - repeated exposure.

Aspiration toxicity Not expected to be an aspiration hazard.

Chronic effects Repeated and prolonged exposure of the skin can cause dermatitis and blood system effects. Repeated exposure by inhalation or ingestion may result in toxic effects, which appear gradually over weeks. Initially there may be abdominal pain, followed by internal bleeding, destruction of red blood cells, lung damage, liver damage, and kidney damage. The skin may be bluish.

12. Ecological Information

Ecotoxicity Not expected to be harmful to aquatic organisms.

Components	Species	Test Results
Sodium Chlorate (CAS 7775-09-9)		
Aquatic		
Acute		
Crustacea	EC ₅₀ Water flea (<i>Daphnia magna</i>)	> 1000 mg/l, 48 hours
Fish	LC ₅₀ Rainbow trout, Donaldson trout (<i>Oncorhynchus mykiss</i>)	> 1000 mg/l, 96 hours
Chronic		
Algae	NOEC Green algae (<i>Selenastrum capricornutum</i>)	> 500 mg/l, 72 hours
Crustacea	EC ₅₀ Water flea (<i>Daphnia magna</i>)	> 500 mg/l, 21 days
Fish	NOEC Zebra danio (<i>Danio rerio</i>)	> 500 mg/l, 35 days

Persistence and degradability Readily biodegradable. Sodium chlorate degrades very slowly in soil under aerobic conditions. May decompose by microbial degradation more rapidly under anaerobic conditions.

Bioaccumulative potential No data available.

Mobility in soil High water solubility indicates a high mobility in soil. Sodium chlorate can be leached out of soil. Chlorate accumulates in plant cells until toxic concentrations are reached and the plant dies.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal Considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. This material and its container must be disposed of as hazardous waste. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

14. Transport Information

DOT

UN number	UN2428
UN proper shipping name	Sodium chlorate, aqueous solution
Transport hazard class(es)	
Class	5.1
Subsidiary risk	-
Label(s)	5.1
Packing group	II
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Special provisions	A2, IB2, T4, TP1
Packaging exceptions	152
Packaging non bulk	203
Packaging bulk	241

IATA

UN number	UN2428
UN proper shipping name	Sodium chlorate, aqueous solution
Transport hazard class(es)	
Class	5.1
Subsidiary risk	-
Packing group	II

Environmental hazards	No
ERG Code	5L
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Other information	
Passenger and cargo aircraft	Allowed
Cargo aircraft only	Allowed

IMDG

UN number	UN2428
UN proper shipping name	Sodium chlorate, aqueous solution
Transport hazard class(es)	
Class	5.1
Subsidiary risk	-
Packing group	II
Environmental hazards	
Marine pollutant	No
EmS	F-H, S-Q
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code
DOT



IATA; IMDG



15. Regulatory Information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Not regulated.

Export Notification
(40 CFR 707, Subpt. D)

CERCLA Hazardous Not listed.

Substance List (40
CFR 302.4)

SARA 304 Not regulated.

Emergency release
notification

OSHA Specifically Not listed.

Regulated

Substances (29 CFR
1910.1001-1050)

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes
Delayed Hazard - No
Fire Hazard - Yes
Pressure Hazard - No
Reactivity Hazard -No

SARA 302 Extremely Not listed.

hazardous

substance

SARA 311/312 No

Hazardous chemical

SARA 313 (TRI Not regulated.

reporting)

Other federal regulations

Clean Air Act (CAA) Not regulated.

Section 112

Hazardous Air

Pollutants (HAPs)

List

Clean Air Act (CAA) Not regulated.

Section 112(r)

Accidental Release

Prevention (40 CFR
68.130)

Safe Drinking Water Act (SDWA) Contaminate candidate list.

US state regulations

US. California Not listed.

Controlled

Substances. CA

Department of

Justice (California

Health and Safety

Code Section 11100)

US. Massachusetts Sodium Chlorate (CAS 7775-09-9)

RTK - Substance List

US. New Jersey Sodium Chlorate (CAS 7775-09-9)

Worker and

Community Right-

to-Know Act

US. Pennsylvania

Sodium Chlorate (CAS 7775-09-9)

RTK – Hazardous

Substances

US. Rhode Island

Not regulated.

RTK

US. California

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

Proposition 65

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s).

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other Information

Issue date	11/18/2020
Revision #	6
Revision Indicator	Updated address in Section 1.
List of abbreviations	ACGIH: American Conference of Governmental Industrial Hygienists CAS: Chemical Abstract Services CERCLA: Comprehensive Environmental Response, Compensation and Liability Act of 1980 DOT: Department of Transportation EC: Effective Communication HMIS: Hazardous Materials Identification System HSDB: Hazardous Substances Data Bank IARC: International Agency for Research on Cancer IATA: International Air Transport Association IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk ICAO: International Civil Aviation Organization IMDG: International Maritime Dangerous Goods LC: Lethal Concentration LD: Lethal Dose MARPOL: Marine Pollution NFPA: National Fire Protection Association NIOSH: National Institute of Occupational Safety and Health NTP: National Toxicology Program OECD: Organization for Economic Cooperation and Development OEL: National occupational exposure limits OSHA: Occupational Safety and Health Administration PPE: Personal Protective Equipment RCRA: Resource Conservation and Recovery Act RQ: Reportable Quantity RTECS: Registry of Toxic Effects of Chemical Substances RTK: Right to Know SARA: Superfund Amendments and Reauthorization Act SDS: Safety Data Sheet STEL: Short Term Exposure Limit TSCA: Toxic Substances Control Act TWA: Time Weighted Average VOC: Volatile Organic Compounds WEL: Workplace Exposure Limit

Disclaimer

Information presented in this SDS is furnished in accordance with OSHA's Hazard Communication Standard (HCS) 2012.

This information provided was developed and is provided for educational purposes and is not intended to be, nor should it be construed as, legal advice or as ensuring compliance with any laws or regulations of any jurisdiction. ERCO Worldwide, A division of Superior Plus LP ("ERCO") assumes no responsibility and shall have no liability for any inaccuracies, errors or omissions in, nor for any damages (including consequential, or indirect damages), losses, costs, fees, resulting from the use of, or reliance on, any part of this information. Likewise, ERCO assumes no responsibility for injury to, or the death of, recipient(s) or users of this information, or for any loss or damage to any property, arising from the use or consideration of this information. The recipient(s) and users, and each of their respective employees and agents, assume all responsibility and liability for all such risks, costs, losses, damages, fees, or otherwise, even if caused by the negligence, omission, default, or error in judgement of ERCO, its agents, subsidiaries, affiliates, or representatives.

Recipients or users of this information should ensure, and are responsible for, its compliance with the current state of the law and legislation applicable thereto, and the content of the laws and regulations of any other jurisdictions, as applicable. Any person receiving or using this SDS is responsible for and must exercise their own judgment and due diligence in ensuring safe and lawful use and handling of any product or information, as they assume the risk of using or relying on any information contained herein.